

Vertical strapping of pallets

The optimal load securing solution

Vertical strapping is the optimal solution for securing the load to the base of the pallet for transport. The vertical strapping system allows strapping different pallet sizes on 2 or 4 sides of the load. It includes a 90° turning system for strapping in 1 or 2 directions for better load securing.

It also incorporates a lateral shift system to perform several strapping processes without moving the load, saving space on the production line.












Vertical Strapping FV | PRO: Technical Datasheet

Productive capacity	Up to 40 pallets/hour
Dimensions of the operating strap	9-12-16 mm
Strap material	Polyester (PET) or Polypropylene (PP)
Maximum load dimensions	Standard: 1,200 mm /47 inch. wide Large Format: 2,050 mm / 80 inch. wide
Height of the load (from conveyor height)	Between 200 and 1,800 mm / 8 - 70 inch. (check other dimensions)
Maximum load weight	2,000 kg / 4,400 Lb (adaptable to other loads from customer)
Strapping head	ODEN strapping head, resistance welding
Strap unwinder	Motorized with film buffer effect
Unwinder dimensions	608 x 1917 x 944 mm / 24 x 75 x 37 inch. (LxWxH)
Installed capacity	8 Kw
Pneumatic consumption	1 NL/min (for 60 p/h)
Electrical requirements	380V/3F + PE (adaptable to other requirements)
Network frequency	50 Hz (adaptable to other requirements)
Air pressure	6 bar
Standard machine dimensions	4,460 x 3,050 x 6,500 mm / 175 x 120 x 255 inch. (LxWxH)
Accessories	Horizontal edge protector applicator Folding strapping lance 90° pallet rotation system for 4-sided strapping Height adjustable frame



LATERAL & SIDE Views



INNOVA SUPPORT:

WORLDWIDE TECHNICAL SUPPORT



At Innova, the Technical Support service is one of our packaging projects' most important aspects. We have a network of offices in several countries where we offer an International Technical Support Service with localized and personalized assistance.

4.0 INDUSTRY SUPPORT AT THE SERVICE OF OUR CUSTOMERS

- Troubleshooting by Remote Connection
- 4.0 Connectivity and Real-Time Reporting
- Preventive Maintenance Plan
- Spare parts Smart Warehouse
- Online and remote training

CONTACT WITH INNOVA

LET US ADVISE YOU

Polígono industrial Via Europa Calle Atzeneta, s/n 12550 Almazora (Castellón) +34 964 565 430 innova@innovamaquinaria.com www.innovamaquinaria.com

