

# Stretch Hood

#### The best pallet wrapping system

The Stretch Hood pallet wrapping system offers maximum load stability and protection. This innovative wrapping technology applies a tubular film that stretches and adapts to the contour of the load, offering stability and protection. Stretch Hood provides major savings in consumables, faster-wrapping speed, total load protection, transport safety, and a superior quality finish that adds value to your palletized product.












#### **Stretch Hood SH | PRO:**

Technical datasheet | Standard Reference Data

Standard production capacity	120 pallets/hour (check other models for higher production)
Operating film thickness	60 - 130 µm (2.36 – 5.12 Mils )
Minimum load dimensions	600 x 600 mm / 24 x 24 inch. (adaptable to other dimensions)
Maximum load dimensions	Standard: $1.300 \times 1.250$ mm / $50 \times 50$ inch. Big Format: $3.800 \times 1.250$ mm / $150 \times 50$ inch. (adaptable to other dimensions)
Load height	Between 400 - 2.500 Kg. / 15 - 100 inch (adaptable to other dimensions)
Maximum load weight	2.000 Kg. / 4.400 Lb. (adaptable to custom loads)
Number of reels	1 to 3
Installed power	11,6 Kw
Pneumatic consumption	50 NL/min (for 60 p/h)
Electrical requirements	380V/3F + PE (adaptable to other requirements)
Network frequency	50 Hz (adaptable to other requirements)
Standard machine dimensions	5.400 x 3.700 x 4.900 mm / 210 x 145 x 190 inch. (LxWxH)
Accessories	Special conveyor included Edge protector applicator system Motorized film uncoiler Edge rounding system




### **SIDE & FRONT** views





### **STRETCH HOOD Wrapping Process**











Hooding

P. 3

## **INNOVA SUPPORT:**

#### **WORLDWIDE TECHNICAL SUPPORT**



At Innova, the Technical Support service is one of our packaging projects' most important aspects. We have a network of offices in several countries where we offer an International Technical Support Service with localized and personalized assistance.

#### 4.0 INDUSTRY SUPPORT AT THE SERVICE OF OUR CUSTOMERS

- Troubleshooting by Remote Connection
- 4.0 Connectivity and Real-Time Reporting
- Preventive Maintenance Plan
- Spare parts Smart Warehouse
- Online and remote training

#### **CONTACT WITH INNOVA**

**LET US ADVISE YOU** 

Polígono industrial Via Europa Calle Atzeneta, s/n 12550 Almazora (Castellón) +34 964 565 430 innova@innovamaquinaria.com www.innovamaquinaria.com

